

Diagram illustrating the cross-section of a road project. The central section is labeled "projektowana jezdnia (powierzchnia 22,5m²)" and is flanked by two sections labeled "pobocze" (shoulder). The width of the shoulder sections is indicated as 75 cm on both sides. The width of the planned roadway section is indicated as 350 - 1500 mm.

Korytowanie podłoża na głębokość 45cm

Warstwa ścierna AC 11S KR1-2 50/70 gr. 5 cm
Warstwa wiążąca AC 11W KR1-2 50/70 gr. 7 cm
Podbudowa z kruszywa łamanego stabilizowanego mechanicznie 0-31,5 gr. 8 cm
Podbudowa z kruszywa naturalnego stabilizowanego cementem $R_m=2,5\text{MPa}$ gr. 15 cm
Warstwa odsączająca z piasku gr. 10 cm
Grunty rodzime

Nazwa i adres obiektu budowlanego:			
Przebudowa i rozbudowa drogi gminnej 102335E w miejscowości Grodno gmina Nowe Ostrowy			
Nazwa rysunku:		Skala:	Numer rysunku:
Przekroje normalne		1:25	4
Imię i nazwisko projektanta:	Specjalność i numer uprawnień:	Data:	Podpis:
mgr inż. Tomasz Reszkowski	MAZ/0159/PWOK/03	05.2024	
Krzysztof Kamiński	asystent projektanta	05.2024	



